



Your Child's Trip to Health



RECOMMENDED IMMUNIZATIONS FROM BIRTH TO AGE 2

VACCINE	BIRTH	1 MONTH	2 MONTHS	4 MONTHS	6 MONTHS	12 MONTHS	15 MONTHS	18 MONTHS	19-23 MONTHS	2 YEARS
Hepatitis B (Hep B)	1st Dose	2nd Dose			3rd Dose					
Rotavirus (RV)			1st Dose	2nd Dose	3rd Dose					
Diphtheria-tetanus-acellular pertussis (DTaP)			1st Dose	2nd Dose	3rd Dose		4th Dose			
Haemophilus influenzae type B (Hib)			1st Dose	2nd Dose	3rd Dose	4th Dose				
Pneumococcal (PCV13, PCV15)			1st Dose	2nd Dose	3rd Dose	4th Dose				
Inactivated polio virus (IPV)			1st Dose	2nd Dose	3rd Dose					
Influenza					Yearly from 6 months on					
Measles-mumps-rubella (MMR)						1st Dose				
Varicella						1st Dose				
Hepatitis A (Hep A)						1st Dose		2nd Dose		
COVID-19					Dosage depends on age and vaccine type					



Missed a shot? If your child doesn't receive a shot at the recommended age, you don't need to start over. Just visit your child's health care provider to receive the next shot.

Talk with your child's provider. If your child has a medical condition that may increase their risk for infection or your child is traveling outside the U.S., talk with your child's provider about any additional vaccines your child should receive.

Protect your growing baby. Are you pregnant? Be sure to receive a Tdap vaccine in the third trimester of pregnancy to protect you and your baby against pertussis (whooping cough). You should receive the vaccine during each of your pregnancies.



A SHOT AT HEALTH Schedule your child's vaccinations today.